



# RYSTIGGO SQ Infusion Order

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_  Male  Female

Diagnosis (please provide ICD10 code) \_\_\_\_\_

Other: \_\_\_\_\_

NKDA Allergies: \_\_\_\_\_

New Start Therapy  Continuation of Therapy Date of last dose (if applicable): \_\_\_\_\_

## Ordering Provider:

Provider NPI: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Practice Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

### PRE-MEDICATION

- Acetaminophen 1000mg PO  Solu-Medrol 125mg IVP
- Diphenhydramine 25mg PO  Solu-Cortef 100mg IVP
- Ceterizine 10mg PO  Diphenhydramine 25mg IVP

### REQUIRED LABS

- Clinical/Progress Notes, Labs, Tests supporting primary diagnosis (please attach)

## RYSTIGGO ORDERS

### DOSING:

- Less than 50kg = 420mg (3mL) SQ infusion weekly x 6 weeks
- 50kg to less than 100kg = 560mg (4mL) SQ infusion weekly x 6 weeks
- 100kg and above = 840mg (6mL) SQ infusion weekly x 6 weeks

### REFILLS:

\_\_\_\_\_

*(if not indicated prescription will expire one year from date signed)*

### Infuse One Standing Orders:

Provide treatment under Infuse's Clinical Guidelines, Medication Safety Protocol, Emergency Guidelines, and Action Plan for Infusion Reactions.

\_\_\_\_\_  
Provider Name

\_\_\_\_\_  
Provider Signature

\_\_\_\_\_  
Date