

Email to: intake@infuseone.com Fax to: 888-261-6644

☐ Palm Beach Gardens

☐ Melbourne

□ Tallahassee

☐ Fort Lauderdale

Neurology Referral Form

\*\*Please Attach Copy of Insurance Cards (Front & Back)\*\*

Last Name, First Name:  Address:		Date of Birtl	h:	Gender: ☐ M ☐ F ☐ Other			
		City, State,	City, State, Zip:				
Phone:		 SSN#					
Referring Practice:							
Practice Address:		City, State,	City, State, Zip:				
Prescriber Name:		Prescriber N	Prescriber NPI:				
Nurse/Key Contact:		Phone:	Phone:				
Fax:		 Email:					
Incurance	Information						
Insurance Plan:	Intormation	Insurance F	Plan:				
Policy#:	Plan ID:	Policy#:	Plan	ID:			
Diagnosis	& Clinical Information	Please attached Clinical	/Progress Notes, Labs, T	ests, Supporting Primary I	Diagno	sis**	
	DIAGNOSIS		ICD-10 CODE	☐ Allergies			
l.							
2. 3.							
4.				□ NKDA			
5.				Height:	_		
6.				Weight:	_		
	To Comment to the			] ······			
Prescription MEDICATION	on Information	DIRECTIONS			QTY	REFILLS	
□ IVIG	Administer gm/kg per day for days every v	veeks					
□ SCIG	Administer gm/kg per day for days every weeks						
Ocrevus (ocrelizumab)	Starting dose: infuse 300mg iv on day 1 and day 15 maintenance dose: infuse 600mg iv once every 6 months						
☐ Tysabri (natalizumab)	Infuse 300mg IV every 4 weeks						
☐ Briumvi (ublituximab)	First infusion: 150mg IV infusion Second infusion: 450mg IV infusion at 2 weeks after 1st infusion Followed by 450mg IV every 24 weeks x 1 year						
☐ Lemtrada (alemtuzumab)	First infusion: 12mg IV infusion for 5 consecutive days Second infusion: 12mg IV infusion for 3 consecutive days 12 months after first infusion						
☐ Vyvgart (efgartigimod alfa)	10mg/kg IV once weekly for 4 weeks (<120kg) 1200mg/kg IV once weekly for 4 weeks (<120kg) 1200mg for weight >120kg.  *Cycle may be repeated > 50 days from start of previous cycle.						
☐ Vyvgart- Hytrulo	1 008 mg /11 200 units subsutanguish weakly for 4 weeks						
(efgartigimod alfa and hyaluronidase-QVFC)  Rystiggo (rozanolixizumab)	<50kg=420mg 50kg to <100kg = 560mg >100 = 840mg *Cycle may be repeated > 63 days						
☐ Ultomiris (ravulizumab)	Starting dose: 2,400 (40-59kg) 2,700mg (60-99kg) 3,000mg (100kg+)  IV followed in 2 weeks by Maintenance dose: 3,000mg (40-59kg) 3,300mg (60-99kg) 3,600mg (100kg+) IV every 8 weeks						
Soliris (eculizumab)	i					-	
Uplizna (inebilizumab-cdon)	Starting dose: 900mg IV weekly for 4 weeks, followed by 1200mg IV for the 5th dose 1 week later Maintenance dose: 1200mg IV every 2 weeks  Starting dose: 300mg IV followed by 300mg at 2 weeks Maintenance dose: 300mg IV starting 6 months after 1st infusion						
Radicava (edaravone)	Starting dose: 60mg IV daily for 14 days followed by 14 day drug free period. Maintenance dose: 60mg IV daily for 10 days out of 14 followed by a 14 day drug free period.						
☐ Vyepti (eptinezumab-jjmr)	100mg IV every 12 weeks 300mg IV every 12 weeks						
Legembi (lecanemab-irmb)	10mg/kg IV every 2 weeks *MRIs at baseline, prior to 5th, 7th and 14th infusions						
Aduhelm (aducanumab-avwa)	IV every 4 weeks as follows: 1mg/kg infusions 1 & 2 3mg/		usions 5 & 6 10ma/ka infusions	7 and hevond	<u> </u>	<del>                                     </del>	
☐ Other	TV every 4 weeks as follows. Hig/kg littusions Fac 2 - Sing/	ng imasions o a + omg/ng im	usions o a o Torrig/ng irrusion	7 dila beyona		+	
Pre-Medication							
☐ NS Hydration	mls NS IV to be infused prior/post infusion					,	
☐ Acetaminophen	1-2 tablets PO prior to infusion or post-infusion as direc	ted					
☐ Diphenhydramine	Take 1 tablet PO prior to infusion or as directed		to infusion or as directed				
☐ Anaphylaxis	Anaphylaxis per pharmacy protocol :						
☐ Other							
that is required for this pr	d its representatives to initiate any insurance prior a rescription and for any future refills of the same pres h I order. I understand that I can revoke this designa	scription for the	Physician Signature:				

Provider Phone Line: 833-881-6048

providing written notice to Infuse One.

Please be sure to attach all of the following:

- Patient demographics
- Patient medical insurance card copied front and back
  Patient pharmacy card copied front and back (if they have one)

Date:

Most recent chart notes, diagnostic testings, and labs.

Proof of patient being concurrently treated with any other biologics